BATHROOM/SHOWER ROOMS TO BE C/W WITH ELECTRIC UNDERFLOOR HEATING AND **ELECTRIC HEATED TOWEL RAIL** (FINAL LOCATION TO BE CONFIRMED BY ARCHITECTS).

SUFFICIENT SPACE TO BE LEFT BEHIND COOKER FOR

ROUTE OF DRAINAGE

PIPEWORK. 650mm DEEP

REQUIRED FOR INSTANCES


FIRE COLLARS REQUIRED AS **DUCTS PASS THROUGH FIRE** 

COMPARTMENTS (SEE FIRE

SPRINKLER DESIGN TO BE COMPLETED BY SPECIALIST.

STRATEGY DRAWINGS &


REPORT.



HEATING & HOT/COLD WATER SERVICES LAYOUT

OF DRAINAGE PASSING COOKERS. RE-CIRCULATING COOKER **HOOD BY OTHERS** Living Area 32.67 m² /351.6 ft² COMMUNAL AREA NOT APARTMENT 

4TH FLOOR



**DAIKIN CYLINDER & HEAT PUMP** 

15Ø BCWS FB C/W CAT 5-DAIKIN EPRA08-12EV -DC INTERRUPTER FOR (1000mm (H) x 1270mm (W) x 533mm (D) WATER SERVICES TO ROOF

**ROOF LEVEL** 

**VENTILATION & DRAINAGE SERVICES LAYOUT** 

HIS DRAWING MUST NOT BE REPRODUCED WITHOUT PRIOR CONSENT. NOT SCALE FROM THIS DRAWING. HIS DRAWING IS COPYRIGHT. ©

GENERAL NOTES

\TPS\ \

LEGEND:

HWS

HWC

**TPRV** 

DC

GC

SC

TBV

TRV

WHV

RTLL

RTA

RFB

DTB

DTBF

RTCV

FA/FB

TA/TB

POE

- BOOSTED COLD WATER SERVICE

- THERMOSTATIC BLENDING VALVE

- THERMOSTATIC RADIATOR VALVE

- TEMPERATURE & PRESSURE RELIEF VALVE

- ADDITIONAL GAS EMERGENCY CHECK VALVE

- HOT WATER SERVICE

- DRAIN COCK

- ISOLATING VALVE

- LOCKSHIELD VALVE

- WHEEL HEAD VALVE

- DROP TO LOW LEVEL

- RISE TO LOW LEVEL

- RISE FROM BELOW

- DROP TO BELOW FLOOR

- FROM ABOVE/ FROM BELOW

- RISE TO CEILING VOID

- TO ABOVE/ TO BELOW

ELECTRIC TOWEL RADIATOR

THERMOSTATIC BLENDING VALVE

UNDERFLOOR HEATING TEMP CONTROLLER

SEE TYPICAL CUPBOARD FOR DETAILS

LOW LEVEL UNDERFLOOR HEATING MANIFOLD

(BATHROOMS TO HAVE WET FLOOR UFH OPTION

THERMOSTATIC MIXING VALVE

WITHIN SERVICES CUPBOARD

UFHZ = UFH ZONE REF

WET UNDERFLOOR HEATING

FX = FLAT No

PIPEWORK RISE OR DROP

PIPEWORK AT LOW LEVEL

— – PIPEWORK AT HIGH LEVEL

DIRECTION OF FLOW

— — — PIPEWORK WITHIN FLOOR VOID

— - - — PIPEWORK WITHIN CEILING VOID

01 = ZONE

- RISE TO ABOVE

- DROP TO BELOW

- POINT OF ENTRY

HTG F&R - HEATING FLOW AND RETURN

- HEATING ZONE 1

- HEATING ZONE 2

- PRESSURE RELIEF VALVE

- GAS COCK

- STOPCOCK

- LOW LEVEL

- HIGH LEVEL

- HOT WATER CYLINDER

THIS DRAWING MAY NOT CONTAIN ALL DETAILS OF ALL SYSTEMS, MATERIALS, ANCILLARY ITEMS, ETC. SHOWN ON THIS DRAWING NECESSARY TO DESCRIBE A COMPLETE INSTALLATION. PROVIDE ALL DETAILS OF ALL SYSTEMS. MATERIALS, ANCILLARY ITEMS, ETC. NECESSARY TO PROVIDE, INSTALL, COMMISSION AND SET TO WORK A COMPLETE INSTALLATION THAT MEETS THE SPECIFIED DESIGN CRITERIA AND CAN BE MAINTAINED IN ACCORDANCE WITH THE DEFINED STANDARDS, GOOD INDUSTRY PRACTICE AND MANUFACTURERS' RECOMMENDATIONS AND INSTRUCTIONS.

ALL IDENTIFIED CONFLICTS BETWEEN THIS DRAWING AND OTHER DRAWINGS AND SPECIFICATIONS ARE TO BE BROUGHT TO THE ATTENTION OF THE DESIGN TEAM FOR CLARIFICATION AND RESOLUTION.

ALL IDENTIFIED ANOMALIES THAT EXIST ON THIS DRAWING ARE TO BE BROUGHT TO THE ATTENTION OF THE ENGINEER FOR CLARIFICATION AND RESOLUTION.

THE COST OR LIABILITY OF ANY CONFLICTS OR ANOMALIES IN THE DRAWINGS WITH OTHER TENDER OR CONTRACT DOCUMENTS NOT BROUGHT TO THE ATTENTION OF THE DESIGN TEAM AND ENGINEER FOR CLARIFICATION AND RESOLUTION ARE DEEMED TO BE ACCEPTED AND INCLUDED BY THE CONTRACTOR.

THE CONTENT OF THIS DRAWING IS INTENDED TO COMMUNICATE THE DESIGN INTENT OF THE BUILDING SERVICES SYSTEM(S) SHOWN ON THIS DRAWING.

THE CONTRACTOR IS REFERRED TO THE MECHANICAL SERVICES SPECIFICATION FOR INSTRUCTION ON THE APPLICATION OF ALL CONTRACTOR DESIGN (WHEN REQUIRED) AND INSTALLATION STANDARDS, REGULATIONS, CODES OF PRACTICE, ETC.

ALL SERVICE ROUTES, EQUIPMENT AND PLANT LOCATIONS AND MAINTENANCE SPACE SHOWN ON THIS DRAWING ARE INDICATIVE AND FOR INFORMATION ONLY. THE FABRICATION, WORKING OR INSTALLATION DRAWINGS SHALL DEFINE ALL REQUIRED SERVICE ROUTES, EQUIPMENT AND PLANT LOCATIONS AND MAINTENANCE SPACE IN ACCORDANCE WITH DEFINED STANDARDS, GOOD INDUSTRY PRACTICE AND MANUFACTURERS' RECOMMENDATIONS AND INSTRUCTIONS.

THIS DRAWING IS NOT A CONSTRUCTION, FABRICATION, WORKING OR INSTALLATION DRAWING. THE CONTRACTOR IS REFERRED TO THE MECHANICAL SERVICES SPECIFICATION FOR INSTRUCTION ON THE PREPARATION AND CO-ORDINATION OF CONSTRUCTION, FABRICATION, WORKING OR INSTALLATION DRAWINGS.

ALL PENETRATIONS THROUGH FLOOR SLABS, COLUMNS, BEAMS, BRACING AND LOAD BEARING WALLS ARE TO BE AGREED WITH THE STRUCTURAL ENGINEER PRIOR TO THE FORMATION OF SAID PENETRATION.

FOR FINAL SERVICES SETTING OUT AND CO-ORDINATION, THE CONTRACTOR SHALL REFER TO THE ARCHITECTS LATEST INFORMATION.

STAGE 3

STAGE 3 PACKAGE UPDATED JAN.23 TO COMMENTS RECEIVED

OCT.22 STACE 3 ISSUE

Date Description

No.1 Cornhill London EC3V 3ND Tel 020 7743 6602

www.taylorprojectservices.com

ELLERI

18 STUKELEY STREET LONDON WC2B 5LR

APARTMENT 7 FOURTH, FIFTH & ROOF LEVEL MECHANICAL SERVICES LAYOUT

Date SEP.22 <sup>Scale</sup> 1:50@A1 Checked G.P. <sup>Drawn</sup> D.F. Drawing Status STAGE 3

awing No. A1/TPS/18SS/A7/4,5&R/M