

Wildflower Blanket

Bauder’s British Native Wildflower Blanket is designed to give a long flowering season. There are more species than would normally be sown in a wildflower meadow at ground level. The number and type of species reflects the challenging environments found at roof level.

The Bauder WB Native Wildflower Blanket is grown on 100% bio-degradable carrier, typically 6 -12 months old at time of harvest. The blanket deliberately contains a very broad mix of species as not all species will flourish in the individual conditions found on any given roof. The seed is all of British Providence, harvested in line with the Flora Locale code of conduct. This pre-grown vegetation mat greatly speeds up establishment, reducing the risks and difficulties associated with trying to establish vegetation at roof level.



Bauder Green Roof designs including the WB Blanket and Flora seed mixes follow the following standards:

All native seed is collected under the Flora Locale code. Seed mixes are approved as Perfect for Pollinators from the RHS. Biodiverse Specification and Habitat layout designs are approved by Buglife (the Invertebrate Charity).



Wildflower Species

Scientific name	Common name
<i>Achillea millefolium</i>	Yarrow
<i>Agrimonia eupatoria</i>	Agrimony
<i>Aquilegia vulgaris</i>	Columbine
<i>Bellis perennis</i>	Daisy
<i>Campanula glomerata</i>	Bellflower; Clustered
<i>Campanula rotundifolia</i>	Harebell
<i>Centaurea cyanus</i>	Cornflower
<i>Centaurea nigra</i>	Knapweed; Common
<i>Chicorium intybus</i>	Chicory
<i>Clinipodium vulgare</i>	Basil; Wild
<i>Daucus carota</i>	Carrot; Wild
<i>Dianthus deltoides</i>	Pink; Maiden
<i>Dipsacus fullonum</i>	Teasel
<i>Echium vulgare</i>	Viper’s-bugloss
<i>Feoniculum vulgare</i>	Fennel
<i>Geranium pratense</i>	Crane’s-bill; Meadow
<i>Linaria vulgaris</i>	Toadflax; Common
<i>Lotus corniculatus</i>	Bird’s-foot-trefoil; Common
<i>Lythrum salicaria</i>	Purple; Loosestrife
<i>Malva moscahta</i>	Mallow; Musk
<i>Origanum vulgare</i>	Marjoram; Wild
<i>Papaver rhoeas</i>	Poppy; Field or Common
<i>Pilosella aurantiaca</i>	Fox-and-cubs
<i>Plantago media</i>	Hoary plantain
<i>Primula veris</i>	Cowslip
<i>Primula vulgaris</i>	Primrose
<i>Ranunculus acris</i>	Buttercup; Meadow
<i>Rumex acetosa</i>	Sorrel; Common
<i>Salvia verbenaca</i>	Clary; Wild
<i>Scabiosa columbaria</i>	Scabious; Small
<i>Scorzoneroide autumnalis</i>	Hawkbit; Autumn
<i>Silene dioica</i>	Campion; Red
<i>Silene flos-cucculi</i>	Ragged-Robin
<i>Silene uniflora</i>	Campion; White
<i>Succisa pratensis</i>	Devil’s-bit scabious
<i>Tanacetum vulgare</i>	Tansy
<i>Thymus polytrichus</i>	Thyme; Wild
<i>Trifolium pratense</i>	Clover; Red
<i>Viola riviniana</i>	Common dog violet
<i>Viola tricolor</i>	Pansy; Wild or Heartsease
Grass species	
<i>Festuca ovina</i>	Sheepfescue
<i>Festuca rubra</i>	Slender Creeping Red Fescue
<i>Briza media</i>	Quaking-grass
<i>Hordeum brachyantherum</i>	Barley; Meadow