



Design and Access Statement

73-75 Kenton Street
WC1N 1NN


Prepared on behalf of BKDM LLP • 2023

1. Introduction 3

2. Design Statement22

3. Access Statement37

4. Sustainability Statement.....40



1. Introduction

1.1 About the Team

BKDM LLP is founded and run by a small group of architects, all having graduated with Master in Architecture degrees from Harvard University's Graduate School of Design in the United States. Operating at scales across the urban and the interior, the architects at BKDM seek to address the ideological and the material challenges of today's architectural practice through innovative, critical, and detail-oriented design experimentations.

Prior to assembling the studio, members have had experience designing for the preservation and renovation of a range of historical buildings, including the preservation and energy upgrade of a brick masonry pump house dated back to the late 1800's (Fig. 1), and the renovation and rehabilitation of a dilapidated granary building, also dating back to late 1800's (Fig. 2-3). The granary restoration project has won the 2021 *Progressive Architecture Award*. The team believes that historical buildings need to be respected for their original character and their process of ageing, and to be acknowledged for their capacity for transformation and growth as times change.



Fig. 1. Preservation and energy upgrade of Pump House in East Boston, MA, USA



Fig. 3. Local Community Participation



Fig. 2. In Construction: Rehabilitation and restoration of Granary

1.2 Proposal

This design and access statement presents the proposed change of use and minor alterations of 73-75 Kenton Street from office use (Class E) to a mixed-use building, with office use (Class E) on the lower ground level, and single-family dwelling-house (Class C3) across ground, first and second floors.

1.3 Overview

73-75 Kenton Street is a four-story brick building near the corner of Kenton Street and Tavistock Place. The building is not listed and is located within the Bloomsbury Conservation Area. The building is a semi-detached, self-standing masonry structure with a total internal area of 320m². Though the site had existed since the early 1800's, the building in its current form is estimated to have been built in 1906. 73-75 Kenton Street was originally built as a light-industrial/warehouse building, and was later re-purposed into an office building.

1.4 Applicant

This statement is prepared by BKDM LLP. The applicant, as partner of BKDM LLP, wishes to retain the business use on the lower ground level, and occupy the ground, first, and second floors as their long-term single-family dwelling.




Fig. 4. 73-75 Kenton Street aerial view from southwest

1.5 Site Condition

1.5.1 Site Location

73-75 Kenton Street is located in the Bloomsbury Conservation Area. The neighbouring Marchmont community is a vibrant area harbouring a diverse mix of residents and local activities. The site is within walking distance from Russell Square, University College London, the Foundling Estate, Brunswick Centre, Army Reserve Centre, among other places of cultural significance.




Fig. 5. Site Location Plan

1.5.2 Site History

Kenton Street originated as part of the fields surrounding the Foundling Estate (Fig. 6). The street was first developed between 1806 and 1809, running north-south from Compton Street (now Tavistock Place) to Great Coram Street (Fig. 7). The street was named after Benjamin Kenton, who made a fortune by inventing ale bottling and was a benefactor of the Foundling Estate.

In the 1960's, development of the Brunswick Centre overtook the southern portion of Kenton Street. Today, Kenton Street runs north-south between Tavistock Place and Handel Street.

73-75 Kenton Street is part of a block of buildings bordering Marchmont Street to the west, Kenton Street to the east, and Compton Street (re-named Tavistock Place in 1938) to the north. The block has existed in its current configuration, but is estimated to have been re-constructed in the early 1900's. The town plans predating 1900 and in 1911 (Fig. 8-10) illustrate the transformation of the block back then. Based on maps for drainage planning dated in 1906, the construction of 73-75 Kenton Street took place in 1906, preceding the neighbouring buildings by about one year.




Fig. 6. Cary's New and Accurate Plan of London and its Vicinity, 1795




Fig. 7. Stanford's Library Map of London and Its Suburbs, 1987



Fig. 8. Town Plans, 1893-1895
Source: Ordnance Survey




Fig. 9. Drainage Site Plan, 1906
Source: Camden Local Studies and Archives Centre




Fig. 10. Town Plans, 1911
Source: Ordnance Survey



Fig. 11. Borough of Camden Title Plan




Fig. 12. Composite Historic Building Plans of the surrounding buildings, ca.1906-1908

1.5.3 Traffic and Access

73-75 Kenton Street is 4 minutes away from Russell Square Station, and 10 minutes away from King's Cross/St. Pancras Stations. Kenton Street is a one-way street; vehicles enter from Tavistock Place and exit into Hunter Street.

1.5.4 Surrounding Land Use

Since the reconstruction of the building blocks in the early 1900's, buildings on Kenton Street and the surrounding streets have mostly been configured as dwellings and small retail shops. Nowadays, the surrounding land uses include shops (computer repair shops, beauty parlors, bookstores, galleries, etc.), restaurants and cafes, dwellings (dwelling houses, HMOs), short-stay hotels and hostels, the Army Reserve Centre, and public parks (Fig. 13).

Kenton Street is a quiet residential street and receives light foot traffic. As shown in the Camden Policies Map (Fig. 14), published in August 2021, **73-75 Kenton Street is not included in the 'Neighbourhood Centre' zone**, however it is a positive contributor in the area according to Bloomsbury CA Townscape Appraisal.




Fig. 14. Camden Policies Map, 2021 (colours redacted for clarity)

Fig. 13. Surrounding Land Use:
 1. Brunswick Centre 2. Marchmont Street 3. Tavistock Pl. 4. Waitrose & Handel Street
 5. Russell Square 6. Marchmont Community Garden 7. Brunswick Square 8. St. George's Gardens

1.6 Building Condition

1.6.1 Building History

Built around 1906, 73-75 Kenton Street is a late Victorian-style warehouse building. Based on evidence from original drawings and Academy Architecture directory, the architect of the building was Frank Selby (Fig. 16). Initially built as a printing factory/office building for Messrs Charles Jaques and Son (Fig. 15), 73-75 Kenton Street had been re-appropriated as a metal workshop for Hudson, Sheed & Towell by 1929 (Fig. 18), and was later occupied by C. E. Norris & Sons Ltd., a local contractor firm. The building was converted into four self-contained office spaces in the early 2000's.

The property boundary and building envelope have been largely preserved in their original form. As noted in the original block plan, dated September 1906, **73-75 Kenton Street has right of way in the service alleyway shared with 50-56 Tavistock Place** (Fig. 17).



Fig. 15. Excerpt from *Plans, Section and Elevation of factory in Kenton Street for Messrs Jaques and Son*, 1905
Source: London Metropolitan Archives




Fig. 16. Excerpt from *The Builder Magazine* Vol 93, Issue 3381, 1907




Fig. 17. Block Plan of 73-75 Kenton Street (excerpt), 1906
Source: London Metropolitan Archives




Fig. 18. Photograph of 73-75 Kenton Street, 1929
Source: Camden Local Studies and Archives Centre




Fig. 19. Current exterior view of 73-75 Kenton Street

1.6.2 Original Drawings


LAYOUT: The original design drawings for Messrs Jaques and Sons, dated 1905, demonstrated an open plan layout across all floors. Aside from the main stairwell, a secondary stair connected the ground floor to lower ground floor. The ground floor plan indicated continuous, pitched skylight on the low roof. On the rear side of the first and second floors, doors lead out to exterior egress passageways (steel egress bridges).



Lower Ground Floor



Ground Floor



First Floor



Second Floor



Roof

Fig. 20. Excerpt from *Plans, Section and Elevation of factory in Kenton Street for Messrs Jaques and Son, 1905*
Source: London Metropolitan Archives


WINDOWS: The section and elevation drawings display several types of windows, including large crittal windows facing north and west, double hung windows facing north, and smaller hinged windows facing east and west.

STRUCTURE: The building is of masonry structure, with steel columns on the lower ground floor level to support the northern envelope wall above ground. Except for the lower ground floor slab and staircase, which are cast in concrete, the other slabs were built of simple timber structure. The roof was supported by timber fink trusses with tensioned steel rods.


VERTICAL CIRCULATION: The main stairwell opened to the outside with large openings, which were framed by concrete lintels and protected by metal railings.



Front Elevation



Longitudinal Section



Cross Section

Fig. 21. Excerpt from *Plans, Section and Elevation of factory in Kenton Street for Messrs Jaques and Son, 1905*
Source: London Metropolitan Archives

1.7 Current Condition

1.7.1 Changes and Alterations in the Early 2000's

The current 73-75 Kenton Street has largely preserved the original structures and design features, despite some minor changes to the exterior appearance and internal layouts. The renovation in early 2000's did not introduce irreversible alterations, although on the exterior some modern substitutes have replaced the original elements; on the interior, modern construction materials such as plasterboard were applied throughout, and many original finishes were painted over.




Fig. 22. Photograph of 73-75 Kenton Street, 1929
Source: Camden Local Studies and Archives Centre




Fig. 23. Exterior View of 73-75 Kenton Street, 2021

1.7.2 Windows and Skylights

Overall, windows and skylight at 73-75 Kenton Street are in working condition.

All eight roof skylights (*Fig. 24*) have been upgraded to modern specifications but remain in their original location. These skylights are of the waterproof kind, though in recent storms they have shown signs of leakage.

The low roof currently has five polycarbonate skylights (*Fig. 25*), as opposed to the continuous pitched skylight low roof indicated in the original drawings. Though not characteristic of the building, these skylights perform the basic function of waterproofing fairly well.

Throughout the building, most of the windows have remained original, maintaining their single-pane glass and wooden mullions construction (*Fig. 26*). The crittal windows are overall well preserved; however, the thermal performance of these windows are not meeting the modern-day energy efficiency needs.



Fig. 25. View from lower roof looking East




Fig. 24. Second floor - Roof Skylights and Timber Fink Truss Roof




Fig. 26. Original Windows


1.6.3 Current Drawings




Lower Ground Floor



First Floor






Ground Floor




Second Floor

Floor Plans
Current







Roof Plan
Current




Front Elevation
Current




North Elevation



West Elevation



South Elevation



Elevations
Current

1.7 Building Condition

1.7.1 Deterioration

Two significant problems are identified at 73-75 Kenton Street: one is localized water ingress at roof level (Fig. 27), and the other is a horizontal crack to the flank wall at lower ground floor level (Fig. 30), due to leaking lower roof and poor rainwater drainage (Fig. 29). The previous lower ground floor tenant had reported flood damage in 2019. Both issues will likely require structural interventions in the near future. As an exposed brick masonry building, 73-75 Kenton Street is poorly insulated, resulting in very low energy efficiency in winter months; due to the lack of proper insulation, heating appliances work inefficiently despite causing surges in energy usage.



Fig. 28. dilapidated egress bridges pose dangers to occupants and neighbours



Fig. 27. water ingress inside roof, picture taken two weeks after fresh paint




Fig. 29. surface rust on ground floor steel beams close to lower roof drainage



Fig. 30. horizontal crack on lower ground floor flank wall

1.7.2 Presence in the Neighbourhood

For the past few years, 73-75 Kenton Street has been attracting anti-social behaviours at night and disturbing the neighbours, due to its vacancy after business hours and lack of vigilance. The front steps, the pocket space in front of the main entrance, and the low roof on the back side all provide space for late-night gatherings, littering, and occasionally illegal activities such as drug dealing (Fig. 31, 32).

Such occurrences are frequent and often disturbing. Surveillance camera regularly captures instances of urination onto the facade and into the neighbour's lightwell, and the building's owners frequently confront drug-related activities in front of the building entrance. Neighbours from Aberdeen Mansions and Tavistock Place have expressed concern over late-night noises and drunken gatherings at the front steps.

Multiple actions have been taken to control these anti-social activities. Besides the security camera, the owner has also tried installing a security flood light; unfortunately it did not deter people from trespassing and littering. Additionally, the owner once installed a temporary rope at the front steps to stop people from loitering, but it was quickly vandalized. A temporary black metal grill was then installed, which provided some relief; however, it is not a permanent solution and does little to deter illegal activities in front of the main entry.


Notwithstanding the importance of providing local employment space, 73-75 Kenton Street's status as the lone office building will continue to encourage illicit conducts on an otherwise family-oriented and quiet residential street.



Loose rubbish



Loose rubbish



Urinating at main entry




Urinating into Neighbour's Lightwell



Camper blocking the alleyway



Urinating at main entry



Littering at main entry

Fig. 31. a sample of instances of trespassing, littering, and urinating

Drug Dealing/Use, Drinking, Trespassing & Vandalizing



Drug use




Smoking and alcohol consumption at entry




Drug use and dealing



Smoking and overnight camping



Drug use



Burning barrier and trespassing front steps for drug dealing



Drug use and littering

2. Design Statement



Front Elevation
Proposed Concept Image

2.1 Design Objective

This application proposes the change of use of 73-75 Kenton Street from an office building (Class E) into a single-family dwelling-house (Class C3) and office (Class E) mixed-use property. The chief objective is to create a single-family residence across ground, first, and second levels, and a business space on the lower ground level.

Through partially changing the building's use class, this proposal aims to preserve the historical character of 73-75 Kenton Street, and revitalize the building's active usage through sensitive design and renovation. The proposed changes as demonstrated in this statement and its supporting documents are prepared with the overarching goals of maintaining and improving the building's appearance, suitability for living and working, and its positive contribution to the neighbourhood.

2.2 Consultation

Prior to preparing this statement, in January 2021, BKDM commissioned Thomas & Thomas Chartered Building Surveyors to produce a thorough building survey report.


In December 2021, the applicant submitted a pre-planning application (ref: 2021/6142/PRE) to Camden's planning department. Following communications with Camden's planning commissioners, the applicant has made design updates based on the borough's advice.

The applicant has also consulted with Marchmont Association leaders, neighbours from both Tavistock Place and Aberdeen Mansions, and a Bloomsbury Ward Councillor regarding the proposed changes. This application has taken the neighbourhood's opinions and concerns as guidance to the design process.


	Current Use Class (Area)*	Proposed Use Class (Area)**
Lower Ground Floor	Office Class E 98.4 m ²	Office Class E 90.6 m ²
Ground Floor	Office Class E 63.4 m ²	Dwelling House Class C3 70.9 m ²
First Floor	Office Class E 62.6m ²	Dwelling House Class C3 72.7 m ²
Second Floor	Office Class E 66.6 m ²	Dwelling House Class C3 73.5 m ²

* Based on calculations from the Valuation Office Agency (VOA)


** Calculation based on the National Technical housing standards – Department for Communities and Local Government




Lower Ground Floor



Ground Floor




First Floor



Second Floor


- 1. Lightwell Lift Entrance Vestibule
- 2. Office Bicycle Storage
- 3. Boiler Room
- 4. Meter Room
- 5. Pump Room
- 6. Janitor's Room
- 7. Office Restroom
- 8. Office Space



- 1. Main Entrance
- 2. Exterior Accessible Lightwell Lift
- 3. Residential Bicycle Storage (under the raised ground floor)
- 4. Stairs to Lower Ground Floor Office
- 5. Residence Entry Vestibule
- 6. Lobby (Drawing Room)
- 7. Storage
- 8. Powder Room
- 9. Laundry Room
- 10. Folding and Ironing Area
- 11. Accessible Bathroom
- 12. Accessible En-Suite Bedroom #1
- 13. Secondary Egress Exit/ Low Roof


50-56
Tavistock
Place

Marchmont
Street
Estates





Aberdeen
Mansions

Ground Floor Plan
Proposed





- 1. Kitchen
- 2. Dining Room
- 3. Shared Bathroom
- 4. En-Suite Bathroom
- 5. Bedroom #2
- 6. Bedroom #3
- 7. Secondary Egress Exit





First Floor Plan
Proposed


- 1. Family Living Room
- 2. Play Area
- 3. En-Suite Bathroom
- 4. Master Bedroom #4
- 5. Secondary Egress Exit



Second Floor Plan
Proposed



Roof Plan
Proposed



Front Elevation
Proposed

Lower Ground Floor:

- 1. Lightwell Lift Platform
- 2. Office Reception
- 3. Office Restroom
- 4. Office Space

Ground Floor:


- 5. Residential Bicycle Storage
- 6. Lobby/Drawing room
- 7. Powder Room
- 8. Laundry Room
- 9. En-Suite Accessible Bedroom #1

First Floor:


- 10. Kitchen
- 11. Shared corridor for Bedrooms 2&3
- 12. En-Suite Bedroom #3

Second Floor:

- 13. Family Living Room
- 14. En-Suite Master Bedroom #4




Longitudinal Section Looking South
Proposed



Section Looking East


Cross Section
Proposed




Existing Front Elevation - Railing and Entries

Front Gate & Lightwell Lift Proposed



1800
1550
250




New Matching Continuous Gates



Matching Railing Bar Heads (scale:10X)




Section looking East



Section looking South



Section looking West



Section looking North

Examples of front gates and lightwell lifts


Lightwell lift - Bidborough St.



Lightwell lift - 1 New Square



Gated entry - Kenton Street



Gated steps - Cartwright Grd.



Gated steps - Cartwright Grd.



Gated steps - Hastings St.





Ground Floor
Living Room
Proposed



First Floor
Kitchen
Proposed



First Floor
Child's Bedroom
Proposed



The lower ground level office space benefits from ample natural light from a continuous skylight on the low roof (as indicated in the original design) and diffused LED lighting on the ceiling. The space is designed to accommodate 8 to 10 people, and will be fitted to the highest office standard, both architecturally and environmentally. With a high degree of lighting, acoustic, and environmental control, the office space shall cater especially to creative industries.

Lower Ground Level
Office Space
Proposed

3. Access Statement

3.1 Site Access

3.1.1 Wheelchair Accessibility


The proposed 73-75 Kenton Street accommodates wheelchair access in both the residential and the business components of the building. All wheelchair accesses are provided with step-free level thresholds, as the exterior lightwell lift connects sidewalk level to the business at lower ground level, and a chair lift inside the residential entrance connecting from street level to raised ground level (**see Page 39**).

Inside the building, an interior lift allows wheelchair users and people with reduced mobility to traverse across all residential floors.

3.1.2 Transportation & Parking

This statement does not propose any on-site car parking spot or seek a parking permit. The property will be car-free. Easy access to major underground stations and bus stops eliminates need for vehicle in most cases. Kenton Street is wheelchair vehicle and ambulance friendly, with space in front of the building for assisted vehicular access.

The building provides four indoor bicycle storage spaces in a dedicated bicycle room on the lower ground level for office use, and two indoor spaces, in a storage space inside the building entrance and under the raised ground floor, for residential use. Additional bicycle parking docks are located across the street. The shared bicycle and e-scooter bay in front of the building provides additional transportation options for users and visitors of the building.



Accessible platform lift providing step-free connection between sidewalk and office

3.2 Accessibility & Lifetime Homes

3.2.1 Building Regulations Part M Volume 4

Volume 1, Part M of *the Building Regulations* sets out minimum standards for accessible dwellings. It is applicable to change of use of an existing building. Within the volume, there are three sections:

- M4 (1) *base requirement* - Visitable dwellings,
- M4 (2) *optional requirement* - Accessible and adaptable dwellings, and
- M4(3) *optional requirement* - Wheelchair use dwellings.

Following the Government's 2015 'housing standards review' Lifetime Homes standards were replaced by the optional building regulations standard M4 (2) entitled 'accessible and adaptable dwellings'. The current London Plan policy requires 90% of all new build housing in London to meet this standard, with the remaining 10% being wheelchair user dwellings.

The proposed residence requires wheelchair access to cater to its future residents' need. The proposal meets all the minimum requirements in M4 (1), and qualifies as wheelchair adaptable dwelling, meeting requirements in M4 (2).





Fig. 33. Lower Ground & Ground Floor Accessibility Diagrams

3.3 Separation of Circulation

To ensure privacy and easy access, it is vital to maintain separate access between the office and residential areas. As illustrated in the diagrams, the proposed design provides both zones with regular and handicap accessible paths, which also serve as emergency egress routes.




Fig. 34. Separation of Access Diagram

4. Sustainability Statement

4.1 Sustainability in Design & Construction

The applicant and the architects at BKDM believe strongly in the importance of integrating sustainable design principles from the onset of a project. One of the guiding principles for the renovation and upgrading of 73-75 Kenton Street is the intentional, ethical, and environmentally responsible inclusion or reclamation of long-lasting materials, through high quality construction, while strictly managing and reducing waste. BKDM’s goal is to prioritize preservation, restoration, and enhancement of existing structures, and help 73-75 Kenton Street regain a meaningful urban presence and become a positive contribution to the future built environment.


Prior to approaching this project, BKDM has conducted research on sustainable ways of restoring historical buildings, and has identified potential internal thermal and acoustic insulation systems for the long-term enhancement of the building’s energy efficiency and comfort. Low energy appliances and building equipment will also be included as part of the renovation.

Sustainable Design Considerations:

- Restoring window frames and replacing single glazing with thin matching vacuum insulated glass panels
- Fitting internal walls and roofs with high performance vacuum insulated panels
- Installing a three-stop lift with a regenerative drive which will generate and offset its own energy consumption
- Installing natural gas condensing boiler
- Upgrading all lighting fixtures to be minimum 50,000 hour LED bulbs
- An inverter and battery will be fitted to supply renewable electricity through PV arrays

Construction Material Recycling and Reuse

Reclaimed aggregate to Terrazzo



Old Bricks to Concrete Aggregate



Preservation

Repointing





Window Restoration



Thermodynamics

Vacuum Insulated Glazing



Vacuum Insulated Panel (thickness comparison)